

<b>Notice of Allowability</b>	Application No.	Applicant(s)	
	09/764,105	ITO ET AL.	
	Examiner	Art Unit	
	EDMUND H. LEE	1732	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS**. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to AMENDMENT FILED 2/19/04.
2.  The allowed claim(s) is/are 8-37 (RENUMBERED AS 1-30, RESPECTIVELY).
3.  The drawings filed on 19 January 2001 are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
 of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date 03172004.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

EDMUND H. LEE  
Primary Examiner  
Art Unit: 1732

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ira Schultz on 3/17/04.

The application has been amended as follows:

#### **In the specification:**

Pg 1, In 5: the phrase --now U.S. Patent No. 6,287,406,-- has been inserted after "January 14, 1999,".

#### **In the claims:**

Cl 10, In 2: the phrase "filling the gap" has been replaced with  
--connecting the first and second terminal ends of the  
directly extruded molding--.

Cl 14, In 2: the phrase "filling the gap" has been replaced with  
--connecting the first and second terminal ends of the  
directly extruded molding--.

Cl 14, In 3: the word "piece" has been deleted.

Cl 14, In 4: the word "piece" has been deleted.

Claim 18 has been canceled.

CI 19, In 1: the number "18" has been changed to --17--.

CI 26, In 2: the phrase "filling the gap" has been replaced with  
--connecting the first and second terminal ends of the  
directly extruded molding--.

CI 27, Ins 5-6: the phrase "automobile window glass" has been changed to  
--panel--.

Claim 32 has been canceled.

CI 37, Ins 22-23: the phrase "a panel...dimension" has been changed to --a  
directly extruded molding--.

CI 37, In 28: the phrase --thereby forming the panel unit having a  
predetermined external dimension-- has been inserted after  
"molding".

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to EDMUND H. LEE whose telephone number is 571.272.1204. The examiner can normally be reached on MONDAY-THURSDAY FROM 9AM-4PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Colaianni can be reached on 571.272.1196. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

EDMUND H. LEE  
Primary Examiner  
Art Unit 1732

EHL

  
3/17/04